CMM 2024 Integration Bee Finals Caltech Math Meet

California Institute of Technology

January 27th, 2024

Please save questions for the end!



Guidelines

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 - のへぐ

Logistics

Welcome to the CMM Integration Bee! We are very happy that you have decided to compete.

Please ensure that your whiteboard is clear and that you have two markers and an eraser. Please also make sure you can see the presentation clearly, as this will be the only method of seeing the integral.

I will be the announcer and operator of the slides. There are two people, one per board, who will be directly checking your answer as soon as you finish it. There will also be an observer in the case of a tie (time-wise) between the competitors.

For the audience, please do not attempt to help our contestants in any way, and we ask that you refrain from applause until after an elimination has been completed.

Logistics (continued)

The competition will proceed as follows for all the rounds. When an integral is shown, you will work silently to solve the integral as fast as possible. There is a mix of definite and indefinite integrals, so please put +C when required!

Upon finishing the problem, please box your answer, verbally say Done (loud enough so that the board person next to you can hear it, but not loud enough that it would distract your competitor), and put your marker down. No changes may be made to your answer once you say you are done. At this point, the board person will check your boxed answer and simply say "Correct" or "Incorrect" loud enough for me to hear.

If your answer is correct, the round will end and you will be awarded a point. If incorrect, you must remain silent and let the other competitor either run out of time or answer. The time will be maintained by the observer. If there is a tie when the competitors finish the integral, the observer has **final say** in which the competitor answered first.

Structure

Here is the structure of the competition.

- The round of 16 will be scored as best of 1, and competitors will have 60 seconds to solve integrals in this round.
- The round of 8 will be scored as best of 3, and competitors will have 90 seconds to solve integrals in this round.
- The round of 4 will also be scored as best of 3, and competitors will have 90 seconds to solve integrals in this round.
- The round of 2 will be scored as best of 5, and competitors will have 120 seconds to solve integrals in this round.

The winner, or "Grand Integrator", will be given a magical hat! With that, let's begin!

< □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > <

Ready?

Please give an indication of when you are ready to start.

Easy

$$\int \frac{\sec^2(x)}{\tan^2(x) - 3\tan(x) + 2} \, \mathrm{d} \mathbf{x}$$

・ロト・西ト・モン・モー シッペー

Integral 1 Answer

$$\ln\left|\frac{\tan(x)-2}{\tan(x)-1}\right| + C$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

$$\int_{2/\pi}^{\infty} \frac{\sin\left(\frac{1}{x}\right)}{x^2} \, \mathrm{dx}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 2 Answer

1

 $\int \frac{1}{x\ln(x)\ln(\ln(x))} \, \mathrm{d} \mathbf{x}$

Integral 3 Answer

$\ln |\ln(\ln(x))| + C$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

$$\int -\frac{x \arccos(x)}{\sqrt{1-x^2}} \, \mathrm{d} \mathbf{x}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

L4 / 83

Integral 4 Answer

$$\sqrt{1-x^2} \arccos(x) + x + C$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

 $\int_{1}^{2e} \lfloor \ln(x) \rfloor \, \operatorname{dx}$

Integral 5 Answer

e

$$\int_0^{2\sqrt{506}} \sqrt{2024 - x^2} \, \mathrm{d} \mathbf{x}$$

Integral 6 Answer

 506π

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

$$\int_{-e}^{e} \frac{e^{-x^{2024}}\cos(2024x)}{\arctan(2024x)} \, \mathrm{dx}$$

Integral 7 Answer

0

 $\int \frac{x \sin(x)}{\cos^2(x)} \ \mathrm{d} \mathbf{x}$

・ロ・・母・・ヨ・・ヨ・ シック

Integral 8 Answer

$$x \sec(x) - \ln|\sec(x) + \tan(x)| + C$$

$$\int \frac{9x+18}{5\sqrt[5]{x+2}} \, \mathrm{dx}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 9 Answer

$$(x+2)^{9/5} + C$$

▲□▶ ▲□▶ ▲三▶ ▲三▶ 三三 - のへぐ

 $\int_0^4 \{x\}^4 \, \operatorname{dx}$

Integral 10 Answer

 $\frac{4}{5}$

 $\int \frac{1}{\sqrt{\sqrt{x}+2}} \; \mathrm{d} \mathbf{x}$

Integral 11 Answer

$$\frac{4(\sqrt{x}+2)^{3/2}}{3}-8\sqrt{\sqrt{x}+2}+C$$

 $\int x^9 \ln(x) \, \mathrm{dx}$

Integral 12 Answer

$$\frac{x^{10}\ln(x)}{10} - \frac{x^{10}}{100} + C$$



▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 13 Answer

$$6-\frac{3\pi}{2}$$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

$$\int \frac{1}{2+e^x+2e^{-x}} \, \mathrm{d} \mathsf{x}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 14 Answer

 $\arctan(e^x + 1) + C$

$$\int_0^\infty \frac{1}{(1+x^2)(1+2024^{\ln x})} \; \mathrm{d} \mathbf{x}$$

・ロト・西ト・モン・モー シッペー

Integral 15 Answer

 $\frac{\pi}{4}$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

Easy

Integral 16

$$\int_{-1}^0 x\sqrt{1+x} \, \mathrm{d} \mathbf{x}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 16 Answer

 $-\frac{4}{15}$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

 $\int \frac{8x^3}{1+x^8} \ \mathrm{d} \mathbf{x}$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 17 Answer

 $2 \arctan\left(x^4\right) + C$

・ロト・日本・モート ヨー うべの

$$\int \frac{x^2}{(x-1)(x^2+x+1)} \, \mathrm{d} \mathbf{x}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 18 Answer

$$\frac{1}{3}\ln|x^3-1| + C$$

$$\int_0^e x^{(\ln(x))^{-1}} \, \mathrm{d} \mathsf{x}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 19 Answer

 e^2

▲□▶▲□▶▲□▶▲□▶ ▲□▶ ▲□

$$\int_0^{\pi/4} \frac{\sin(2x)}{1 + 2\sin^2(x)} \, \mathrm{d} \mathbf{x}$$

・ロト・西ト・モン・モー シッペー

Integral 20 Answer

 $\frac{\ln(2)}{2}$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ


$$\int \ln(1 + \tan^2(x)) \tan(x) \, \mathrm{d}x$$

48 / 83

・ロト ・四ト ・ヨト ・ヨト 三日

Integral 21 Answer

$\ln^2(\cos(x)) + C$



▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 22 Answer

 $\frac{\pi}{4}$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへぐ

 $\int \frac{\sin^3(x)}{\sqrt{\cos(x)}} \ \mathrm{dx}$

Integral 23 Answer

$$\frac{2}{5}\cos^{5/2}(x) - 2\cos^{1/2}(x) + C$$

$$\int_1^{\sqrt[10]{2}} \frac{1}{x(x^{10}+1)} \, \operatorname{dx}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 24 Answer

$$\frac{1}{10}\ln\left(\frac{4}{3}\right)$$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

$$\int_{-\pi/2}^{\pi/2} \frac{\cos(x)(1 + \arctan(x))}{2 - \cos^2(x)}$$

Integral 25 Answer

 $\frac{\pi}{2}$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへぐ

$$\int \frac{\cos(x) - \sin(2x)}{\sin(x)} \, \mathrm{d} \mathsf{x}$$

Integral 26 Answer

 $\ln|\sin(x)| - 2\sin(x) + C$

・ロト・日本・モート ヨー うべの



▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 27 Answer

$$-2\cos(\sqrt{x}) + C$$

$$\int_0^\infty \frac{x^2-1}{x^4+3x^2+1}\mathrm{d}\mathsf{x}$$

Integral 28 Answer

$$\arctan\left(x+\frac{1}{x}\right)+C$$

$$\int \frac{x-1}{x^2 - x \ln(x)} \, \mathrm{d} \mathsf{x}$$

Integral 29 Answer

 $\ln|x - \ln(x)| + C$

$$\int_0^1 \frac{x \ln x}{1 - x^2} \, \mathrm{dx}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 30 Answer

 $-\frac{\pi^2}{24}$

Medium

◆□ > ◆□ > ◆臣 > ◆臣 > ─ 臣 ─ の < ⊙

$$\int x^{x^2 + 1} \left(2\ln(x) + 1 \right) \, \mathrm{dx}$$

Integral 31 Answer

 $x^{x^2} + C$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

$$\int_0^1 \frac{e^{\arctan(x)}}{(x^2+1)^{3/2}} \, \operatorname{dx}$$

Integral 32 Answer

$$\frac{e^{\pi/4}}{\sqrt{2}} - \frac{1}{2}$$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

$$\int_0^{2\pi} \sin(\sin(x) - x) \, \mathrm{dx}$$

Integral 33 Answer

0

$$\int_{-\infty}^{\infty} e^{-x^2} \arctan(e^{2x}) \, \mathrm{dx}$$

Integral 34 Answer

 $\frac{\pi\sqrt{\pi}}{4}$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへぐ

$$\int_0^\infty \frac{\{x\}^{\lceil x\rceil}}{1+\lceil x\rceil} \, \operatorname{dx}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 35 Answer

 $\frac{\pi^2}{6} - 1$

$$\int_0^\infty \frac{x}{e^x - 1} \, \mathrm{d} \mathsf{x}$$

▲□▶ ▲□▶ ▲目▶ ▲目▶ 目目 めんぐ

Integral 36 Answer

 $\frac{\pi^2}{6}$

・ロト ・回ト ・ヨト ・ヨト ・ヨー うくぐ

$$\int_0^{\pi/2} \min\{\sin(x),\cot(x)\} \, \mathrm{d} \mathbf{x}$$

・ロト・西ト・モン・モー シッペー

Integral 37 Answer

$$\frac{3-\sqrt{5}}{2} - \frac{1}{2}\ln\left(\frac{-1+\sqrt{5}}{2}\right)$$

▲□▶▲□▶▲臣▶▲臣▶ 臣 のへで

Acknowledgements

Thank you to the following people for contributing to the integration bee!

- Ritvik Teegavarapu
- Sam Murray
- Katherine Avanesov